MYSORE RAILWAYS.

OFFICE OF THE SENIOR EXECUTIVE ENGINEER, MYSORE RAILWAYS, MYSORE.

Notification dated 31st December 1937.

Notice is hereby given that sealed tenders will be received at the office of the Senior Executive Engineer, Mysore Railways, Mysore, on any working day up to 3 P.M. till Monday the 24th January 1938, for constructing a building for washing and charging of batteries of train lighting cells in the Central Workshps area at Mysore.

2. The quantities given in the schedule are only approximate and are liable to alterations, omissions, deductions or additions at the discretion of the Execuive Engineer, or his representative. The tendered rates will hold good for any quantity, whether higher or lower than those given in the enclosed schedule.

3. The work should be completed within the 31st May 1938.

4. Detailed estimates, plans, specifications, conditions of works and conditions of Schedule Agreement may be seen at the Senior Executive Engineer's Office, Mysore Railways, Mysore, on all working days between 2-30 P.M. and 4-30 P.M. When in doubt, the tenderers should always ask for particulars and details.

5. Tenders should be submitted on printed forms, which should be obtained in ample time from the Auditor, Mysore Railways, Mysore, on payment of rupee one.

6. Every tender must be accompanied by an earnest money of Rs. 500 which should be paid to the Auditor, Mysore Railways, Mysore, and the receipt thereof enclosed along with the tender and should be superscribed "Tender for constructing a building for washing and charging of batteries of train lighting cells in the Central Workshops area at Mysore," in default of which the tenders will be rejected. Tenderers who have not done work previously in this Department, should produce certificates from authorities regarding their capacity for work and execution. Tenders not submitted on printed forms will be rejected.

7. The earnest money of the rejected tenders will be returned as early as possible after the tenders are disposed of, and in the case of the accepted tender, it will be held as a part security deposit under clause 4 of the Schedule Agreement referred to in para 10.

8. The final acceptance of any tender will rest with the Agent, Mysore Railways, Mysore, who does not bind himself to accept the lowest or any tender or to assign any reason whatsoever for the rejection of any tender or any portion of a tender.

9. The name of the contractor whose tender has been accepted, will be posted on the Notice Board in the Senior Executive Engineer's Office. No enquiries regarding the acceptance or rejection of a tender will be answered.

10. Within eight days of the acceptance of the tender, the successful tenderer is required to execute the usual Schedule Agreement, in default of which his tender will be considered as cancelled and the earnest money forfeited to Government.

11. Quotations must be given in words as well as in figures and they must be in specific terms of unit shown against each item of work. Any quotations quoted at so much per cent less or more than the estimated rates will not be accepted.

12. There should be no corrections or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to and the number of corrections, if any, in each page noted at the foot of the same by the tenderer.

13. Rates once tendered cannot be enhanced on any account. Rates for non-tendered and non-estimated items shall be as per minimum schedule of rates of the Railway Department and for items not provided for in the schedule of rates, the rates will be fixed by the Executive Engineer after working out data with ten per cent for contractor's profit.

14. The whole of the work specified in the agreement should be completed as specified in para 3. Failing which or failing to carry out any of the conditions in the agreement, the whole of the money held in deposit or so much of it as the Agent, Mysore Railways, considers proper, will, without prejudice to any other legal or equitable right or remedy which the Agent may have, be absolutely forfeited to the Agent, Mysore Railways, Mysore.

15. Should any dispute arise in the interpretation of the clauses of the tender or in respect of any item of work or specification, the decision of the Superintendent, Way and Works, Mysore Railways, Mysore, shall be final.

16. The accepted tenderer must make his own arrangements in advance for payment of Royalties, etc., in case he quarries stone, earth, kunkar, sand, etc., from Railway, Government or Forest land for use on this work, as this Department will not concern itself regarding the payment, recovery, etc.

17. No claims for damages, for delays caused by Officers of the Department in the execution of the work will be considered, whatever my be the reason for such delays. Contractors should bear this in mind when tendering for work. Extension of time due to delays caused by the departmental officers will, however, be considered on the merits of each case.

18. The contract shall not be sublet.
19. Works should be executed in general as per Marryat's Specifications.
20. Contractors should make their own arrangements for the supply of water.
21. It sholud be noted that the quantities noted in the Schedule for doors, windows and ventilators are inside clear dimensions only.

Schedule.

Sl. No.	Details of work	Unit	Quantity
1	Earthwork, lowering the ground and excavating for foundations in all soils including hard rock, if any, conveying the spoil to places shown by the Department up to a maximum lead of 2,000 feet and spreading it evenly as per levels fixed by the Department	1,000 C.ft.	30,000 C.ft.
2	Concrete broken stone in sand mortar	100 ,,	3,600 ,,
3	Burnt brick in sand mortar	100 ,,	16,000 ,,
4	Cement concrete slabs including necessary wooden framework for laying concrete, hoisting and fixing in position and fixing of bolts	100 ,,	300 ,,
5	Reinforced cement concrete slabs including necessary wooden framework for laying concrete, hoisting and fixing in position and fixing of bolts	100 ,,	150 ,,
6	Supplying and fixing in sand mortar, burnt stone slabs 6″ thick, roughly dressed	S.ft.	720 S.ft.
7	Do do two lines dressed on top, faces and edges rounded off	,,	120 ,,
8	Conveying, hoisting and fixing in position R. S. beams, including drilling holes and fixing base plates, silicate painting, three coats, etc., complete. All materials will be supplied by the Department	Cwt.	350 Cwts.
9	Roofing with reinforced brick concrete terrace as per approved design and specifications	100 S.ft.	6,500 S.ft.
10	Plain brick masonry parapet wall as per approved design	R.ft.	550 R.ft.
11	Burnt brick in mortar masonry cornice including cement plastering 9″×3″	,,	560 ,,
12	Chunam plastering	100 S.ft.	16,400 S.ft.
13	Cement plastering, ½″ thick	100 ,,	900 ,,
14	White and colour washing, two coats	100 ,,	17,200 ,,
15	Teakwood doors, with 1½″ thick battened shutters, including brass hasps and staples, brass handles, wooden stoppers, drilling holes in burnt stone sill slabs, three coats of silicate painting, etc., complete as per specifications	S.ft.	385 ,,
16	Teakwood windows with iron bars and 1½″ thick battened shutters outside and glazed shutters inside, including brass handles, three coats of silicate painting, etc., as per specifications	,,	646 ,,
17	Teakwood ventilators with iron bars and glazed shutters including three coats of silicate painting, etc., complete	,,	192 ,,
18	Flooring with burnt stone slabs, two lines dressed 4″ thick over 6″ thick concrete (broken stone in sand mortar) bed including cement pointing. The size of slabs should be two feet square and should be laid as per plan	100 S.ft.	7,250 ,,
19	Teakwood wrought and put up, including two coats of wood-oiling	C.ft.	12 C.ft.
20	Conveying from Stores, cutting, hoisting and fixing in position 24 lbs. section rails	R.ft.	240 R.ft.
21	Conveying from Stores, hoisting and fixing cement asbestos roofing sheets	100 S.ft.	500 S.ft.
22	Do do ridge sheets	R.ft.	60 R.ft.
23	Supplying and fixing cast iron down water pipes, 4″ in diameter, including bends, head, shoes, etc., complete including silicate painting	,,	128 ,,
24	Do 3″ do	,,	40 ,,

Sl. No.	Details of work	Unit	Quantity
25	Boxing of girders including cement plastering, etc., complete	100 C.ft.	600 C.ft.
26	Unloading R.S. beams and other materials from wagons and stacking including 100 feet lead and hand-shunting of wagons	Ton	20 Tons

N.B.—Cement, paint, linseed oil and cement asbestos sheets required for the work will be supplied by the department.

R. N. MIRZA,
Senior Executive Engineer.

PRIVATE ADVERTISEMENTS

IN THE COURT OF THE PRINCIPAL SUB-JUDGE AT BANGALORE.

Insolvency Application No. 11 *of* 1937-38.

S. Rudrappa Setty, son of Sarabha Setty, residing at Door No. 27, Subedar Chatram Road, Bangalore City .. .. *Petitioner.*

Vs.

(1) Sobrajmal Hariram Sait, (2) Patel Yerrappa Gowda, (3) Kopparam Ramiah Setty, (4) D. R. Venkatarama Setty, (5) B. Krishnappa and (6) S. Seetharamiah .. .. *Opponents.*

Whereas the petitioner has applied to this Court, by a petition dated 22nd July 1937, to be declared an insolvent under the Mysore Insolvency Regulation VI of 1911, and your names appear in the list of creditors filed by the aforesaid debtor, this is to give you notice that the Court has fixed the 4th day of February 1938 for the hearing of the aforesaid petition and the examination of the debtor. If you desire to be represented in the matter, you should attend in person or by duly instructed pleader.

Insolvency Application No. 61 *of* 1937-38.

V. R. Rajarathnam, son of Ramaswamy Mudaliar, 47 years, Book-binder, residing at No. 3, Durgachalam Mudaliar Street, Kalasipalyam, Bangalore City .. .. *Petitioner.*

Vs.

(1) H. Nagooji Rao, (2) V. T. Seetharam, (3) M. Krishnaswamy Mudaliar and (4) S. M. Ramaswamy .. .. *Opponents.*

Whereas the petitioner has applied to this Court, by a petition dated 5th November 1937, to be declared an insolvent under the Mysore Insolvency Regulation VI of 1911, and your names appear in the list of creditors filed by the aforesaid debtor, this is to give you notice that the Court has fixed the 7th day of January 1938 for the hearing of the aforesaid petition and the examination of the debtor. If you desire to be represented in the matter, you should attend in person or by duly instructed pleader.

Insolvency Application No. 62 *of* 1937-38.

Arunachalam, son of Chengalrayapilly, age 35, Kenchappa Shed, Bangalore City .. .. *Petitioner.*

Vs.

(1) Kundanmull, Banker, Akkipet, Bangalore City, (2) Adimulam, son of Chengalraya Gowda, 12th Side Maistry, Raja Mills, Bangalore City .. *Opponents.*

Whereas the petitioner has applied to this Court, by a petition dated 6th November 1937 to be declared an insolvent under the Mysore Insolvency Regulation VI of 1911, and your names appear in the list of creditors filed by the aforesaid debtor, this is to give you notice that the Court has fixed the 11th day of February 1938 for the hearing of the aforesaid petition and the examination of the debtor. If you desire to be represented in the matter, you should attend in person or by duly instructed pleader.